


VOUCHER SHEET

IDENTIFIED AS:

 Stenelais tertiaglabra Moore, 1910

SPECIMEN CODE:

OCSD 2

KEYS USED:

Hartman, O. 1968 (Atlas) p. 165  
Fauchald, K. 1977 - p. 70

OTHER TEXTS CONSULTED:

Moore, J.P. 1910. - p. 395  
Pettibone, M.H. 1971a. 1971b.  
Banse, K.: K.D. Hobson. 1974 - p. 35  
Hartman, O. 1939 - p. 65 (S. hancocki)

IMPORTANT CHARACTERS:

Ventral surface smooth; triangular elytral microtubercles encrusted with extracuticular rusty material; neurosetae with long, slender, minutely bidentate falcigers with few stout bifid falcigers in median parapodia; body pale except for anterior portion of elytra.

RELATED SPECIES AND CHARACTER DIFFERENCES:

S. berkeleyi; ventral surface densely papillated, elytra pale to rusty brown; S. verruculosa; neurosetae with multi-articulated simple setae, elytra with small wart-like tubercles on dorsum, elytra with fingerlike palpodes on margin; S. fusca; elytra surface with conical microtubercles, mottled with dark pigment.

STATION DATA:

60m, silty-sand 4 February 1980  
33° 34' 46" 118° 01' 30"