

		occipital antenna	branchiae start on setiger	pairs of branchiae	notopodial hooded hooks start	neuropodial hooded hooks start	no. of pygidial cirri	methyl green stain pattern
LA Co. San. Dist.: Bight '98 2490 LA 1 CB	spm 1	present	2	7	32	30	5	light stain on prostomium; post-branchial bands
	spm 2	present	2	7	26	24	5	light stain on prostomium; post-branchial bands
	spm 3	present	2	7	31	26	incomplete	light stain on prostomium; post-branchial bands
	spm 4	present	2	7	30	26	incomplete	light stain on prostomium; post-branchial bands
	spm 5	present	2	8	incomplete	incomplete	incomplete	light stain on prostomium; post-branchial bands
	spm 6	present	2	7	33	29	incomplete	light stain on prostomium; post-branchial bands
	spm 7	present	2	7	incomplete	26	incomplete	light stain on prostomium; post-branchial bands
	spm 8	present	2	8	31	25	incomplete	light stain on prostomium; post-branchial bands

LA Co. San. Dist.: 2393 LA 7 CB	spm 1	present	2	6	30	24	5	moderate speckling on post-branchial setigers
	spm 2	present	2	6	23	19	incomplete	moderate speckling on post-branchial setigers
	spm 3	present	2	6	23	20	incomplete	moderate speckling on post-branchial setigers
	spm 4	present	2	6	24	21	incomplete	moderate speckling on post-branchial setigers
	spm 5	present	2	7	23	21	incomplete	moderate speckling on post-branchial setigers

LA Co. San. Dist.: 2491 LA 1 CB	spm 1	present	3*	2	16	16	incomplete	tip of prostomium; post-branchial light speckling
--	-------	---------	----	---	----	----	------------	---

LA Co. San. Dist.: 0798-2D	spm 1	present	2	8	21	19	5	none
	spm 2	present	2	10	19	19	incomplete	none
	spm 3	present	2	8	22	17	incomplete	none
	spm 4	present	2	7	25	23	incomplete	none
	spm 5	present	2	7	incomplete	22	incomplete	none

Total= 50 spms

\* Many branchiae missing on this spm. The only branchiae present are on the right side of setigers 3 & 4.