

Key to the genera of Ischyroceridae in the NEP (modified from J. L. Barnard 1973)
 dcadien – 28 August 2004

1. U3 with 1 ramus, or with 2 rami of which 1 is vestigial.....2
 U3 with 2 fully developed rami.....3
2. U2 with 1 ramus.....*Cerapus*
 U2 with 2 rami.....*Erichthonius*
3. Article 2 of Per 5-7 linear; article 4 of mxpd palp clawlike and larger than
 article 3.....*Bonnierella*
 Article 2 of Per 5-7 subovate or broadly rectangular; article 4 of mxpd palp
 shorter than article 3 and blunt or subconical.....4
4. Article 5 of G1 much longer than article 6.....*Ventojassa*
 Article 5 of G1 as long as or shorter than article 6.....5
5. Accessory flagellum a small scale.....*Parajassa*
 Accessory flagellum multisegmented and elongate.....6
6. Coxae 5 and 6 subequal in length; coxa 1 half as long as coxa 2.....*Microjassa*
 Coxa 5 much longer than 6; coxa 1 $\frac{3}{4}$ as long as coxa 2.....7
7. Outer ramus of U3 with basally immersed hooked terminal spine; distolateral
 margin of ramus with 2-4 large reverted cusps.....8
 Outer ramus of U3 immersed spine, if present, never hooked; distolateral
 margin of ramus with 0-7+ perpendicular, small blunt denticles....*Ischyrocerus*
8. Urosomite 1 with dorsal pair of erect setae; distodorsal margin of U3 peduncle
 with a series of stout spines.....*Jassa*
 Urosomite 1 lacking dorsal setae; distodorsal margin of U3 peduncle with a
 single or a pair of stout spines.....*Neoischyrocerus*