

Campylaspis hartae Lie 1969
Nannastacidae

SCAMIT Vol. 4, No. 12

SCAMIT Code: HYP 52

Date Examined: Feb. 10, 1986
Voucher by: Douglas Diener

Synonymy: Campylaspis sp. I Lie 1968

Literature: Lie, U. 1969

Diagnostic Characters:

1. Carapace with unique sculpturing ridges show varying degree of development, but consistent with original description.
2. Some orange to red spotting along ridges, not to be confused with pigment pattern of C. rubromaculata.

Related Species and Character Differences:

The male of C. hartae needs to be illustrated, some confusion with C. rubromaculata is possible; compare ridge patterns on carapace carefully. Both male and female of C. hartae the same pattern of anastomosing flat ridges elevated above general level of carapace.

Distribution: Puget Sound to Point Loma; 9-300 m.






Figure 1. Carapace (from Lie, 1969)

Figure 2. Telson (from Lie, 1969)

Figure 3. Carapace (from MBC, unpublished)

Campylaspis hartae
Lie, 1969
Nannastacidae


SUPPLEMENTAL FIGURES

SCAMIT Vol. 6, No. 12


SCAMIT Code: HYP 52
also specimens-Pt. Loma

Date Examined: January 11, 1988
Voucher by: Doug Diener, MEC

Voucher Sheet: Vol. 4, No. 12



Female



Male